

| | Type | L # | Hits | Search Text | DBs |
|---|------|-----|------|---|--|
| 1 | IS&R | L1 | 1246 | (37/455-460,452,446) .CCLS . | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 2 | IS&R | L3 | 4 | (("20030070330") or ("20030101627")) .PN. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 3 | IS&R | L2 | 2 | ("6108950") .PN. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 4 | IS&R | L4 | 2 | ("6826855") .PN. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 5 | BRS | L5 | 20 | ("20020023375" "2618873" "4067657" "4918843" "5272824" "5564206" "5718070" "5913605" "5926982" "5937550" "5956874" "5983534" "5992063" "6092958" "6108950" "6145224" "6374521" "6393739" "6564482") .PN. | US- PGPUB; USPAT; USOCR |

| | Time Stamp |
|---|---------------------|
| 1 | 2005/09/28 19:03 |
| 2 | 2005/09/28 19:03 |
| 3 | 2005/09/28 19:09 |
| 4 | 2005/09/28 19:09 |
| 5 | 2005/09/28 19:10 |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|-------|--|--|
| 6 | BRS | L6 | 10 | ("3170362" "5311681" "5564206" "5718070" "5784813" "5931621" "5937550" "5983534" "6032390") .PN. | US- PGPUB; USPAT; USOCR |
| 7 | BRS | L7 | 10 | ("6108950") .URPN. | USPAT |
| 8 | IS&R | L8 | 403 | (411/348,349) .CCLS. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 9 | BRS | L9 | 21049 | connect\$5 same pin and lock and resilient | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 10 | BRS | L10 | 4548 | connect\$5 near5 pin and lock same rotat\$4 and resilient | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 11 | BRS | L11 | 1694 | connect\$5 near5 pin and lock near5 rotat\$4 and resilient | US- PGPUB; USPAT; EPO; JPO; DERWEN T |

| | Time Stamp |
|----|---------------------|
| 6 | 2005/09/28 19:18 |
| 7 | 2005/09/28 19:23 |
| 8 | 2005/09/28 19:23 |
| 9 | 2005/09/28 19:24 |
| 10 | 2005/09/28 19:25 |
| 11 | 2005/09/28 20:10 |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|------|--|--|
| 12 | BRS | L12 | 13 | connect\$5 near5 pin and lock near5 rotat\$4 and resilient and (1 8) | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 13 | IS&R | L13 | 3 | ("6708431").PN. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 14 | BRS | L14 | 24 | ("20010001352" "2904909" "3406471" "3740876" "3997989" "4067657" "4096653" "4918843" "4919566" "5435084" "5702112" "5765301" "5913605" "5937550" "5956874" "5987787" "5992063" "6053655" "6079132" "6092958" "6119378" "6393739") .PN. | US- PGPUB; USPAT; USOCR |
| 15 | IS&R | L15 | 66 | (299/111).CCLS. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 16 | IS&R | L16 | 98 | (299/109).CCLS. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |

| | Time Stamp |
|----|---------------------|
| 12 | 2005/09/28 19:25 |
| 13 | 2005/09/28 19:37 |
| 14 | 2005/09/28 19:40 |
| 15 | 2005/09/28 19:41 |
| 16 | 2005/09/28 19:41 |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|--------|--|--|
| 17 | BRS | L17 | 434 | connect\$5 near5 pin and lock near5 rotat\$4 and resilient and square | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 18 | BRS | L18 | 101 | connect\$5 near5 pin and lock near5 rotat\$4 and resilient and square near5 (opening passage hole slot) | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 19 | BRS | L19 | 482 | (tooth teeth) and resilient and square adj (opening passage hole slot) | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 20 | BRS | L20 | 375913 | (tooth teeth) and resilient and square adj (opening passage hole slot) 37\$.ccls. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |
| 21 | BRS | L21 | 3 | (tooth teeth) and resilient and square adj (opening passage hole slot) and "37"/\$.ccls. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |

| | Time Stamp |
|----|---------------------|
| 17 | 2005/09/28 20:11 |
| 18 | 2005/09/28 20:16 |
| 19 | 2005/09/28 20:16 |
| 20 | 2005/09/28 20:17 |
| 21 | 2005/09/28 20:24 |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|------|--|--|
| 22 | BRS | L22 | 24 | (tooth teeth) and resilient and square same (opening passage hole slot) and "37"/\$.ccls. | US- PGPUB; USPAT; EPO; JPO; DERWEN T |

| | Time Stamp |
|----|---------------------|
| 22 | 2005/09/28 20:24 |

| | Type | Hits | Search Text |
|---|------|------|---|
| 1 | BRS | 8943 | connector and pin and lock and resilient |
| 2 | BRS | 6717 | connector and pin and lock and resilient and rotat\$5 |
| 3 | IS&R | 1193 | (37/455-460,452,446).CCLS. |

| | DBs | Time Stamp |
|---|---|------------------|
| 1 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/03/04 21:18 |
| 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2004/03/05 12:35 |
| 3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | 2004/03/05 12:46 |